

114

INDEX MAPS. **T. 7 S. R. 7 W. 2^d Mer.**

Memorandum page 197

193	193	193	192	192	192	
195 6	190 5	190 4	191 3	191 2	192 1	193
190	190	191	191	191	192	
195 7	189 8	189 9	189 10	189 11	188 12	194
187	188	188	188	188	188	
196 18	187 17	187 16	187 15	186 14	186 13	194
185	185	185	185	186	186	
196 19	185 20	184 21	184 22	184 23	184 24	194
182	183	183	183	183	184	
196 30	182 29	182 28	181 27	180 26	179 25	194
182	181	181	180	179	179	
197	31	180 32	180 33	180 34	179 35	195
178	178	177	177	177	177	

T. 8 S R. 7 W. 2^d Mer.

Memorandum page 205

201	201	201	201	200	200	
6	5	203 4	203 3	203 2	202 1	198
		204	204	203	202	
7	8	9	10	11	202 12	198
					200	
18	17	16	15	14	13	198
					199	
19	20	21	22	23	24	199
					199	
30	29	28	27	26	25	199
31	32	33	34	35	36	

The figures on the lines refer to the page.

Township N. 8 South, Range N. 7 West 2.^d Mer. Indiana
ch. 1th

East Boundary

South On E. boundary of Sec. 1.

40.00 Set of Sec. post, from which
at Beech 20 in. diam. bearing N 10 E 32 ch. dist. of
a Do. 6 " " " S 7 W 13 " "

41.50 a Creek 40 ch. wide Course W.

80.00 Set post Cor. to Sec. 1 of 12 from which
at Beech 8 in. diam. bearing N 60 E 15 ch. dist. of
a Do. 16 " " " S 60 W 60 " "

First 1/2 mile Beech & Oak, flat - 2.^d 1/2 mile an
Old windfall very brushy & briery good soil
Oct. 23, 1805, Surveyed by

Edward W. Tupper &
Augustus Stone, R. Surveyors

South On E. boundary of Sec. 12

8.50 a Swamp 10 chains wide

34.75 a W. Oak 36 in. diam.

40.00 Set of Sec. post, from which
at Beech 8 in. diam. bearing N 30 W 35 ch. dist. of
an Elm 12 " " " S 3 E 19 " "

69.00 at Beech 30 " "

75.50 a Pond 800 ch. wide

80.00 Set post in a pond, Cor. to Sec. 12 of 13, from which
a W. Oak 30 in. diam. bearing N 35 E 40 ch. dist. of
no other. Timber Oak, Beech, Poplar &c.
The last 75 ch. River bottom.

South On E. boundary of Sec. 13

17.50 left the edge of the Pond on the W.

34.18 a Hickory 20 in. diam.

40.00 Set of Sec. post, from which
a W. Oak 33 in. diam. bearing N 11 E 39 ch. dist. of
a Willow 7 " " " S 6 W 5 " "

46.00 a Pond 400 ch. wide Course E & N.

70.50 a Branch 25 ch. wide Course W.

S & S R & W. 2nd. Mer. Indianach 2th lth.

80.00 Set post Cor to Sec. 13 of 24, from which
 a W. Oak 33 in. diam. bear N 70 W 20 lth. dist. of
 an Ash 10 " " " S 64 1/2 W 34 " "
 All bottom land & Cane from the last post, Oak,
 Poplar, Beech &c.

South On E. boundary of Sec. 24

5.50 an Ash 22 in. diam.
 40.00 Set q. sec. post, from which
 an Ash 20 in. diam. bear N 34 W 8 lth. dist. of
 a Do. 22 " " " N 25 E 40 " "
 48.00 a Branch 20 lth. wide Course W.
 80.00 Set post Cor to Sec. 24 of 25, from which
 an Elm 32 in. diam. bear N 83 W 28 lth. dist. of
 a Hoopwood 24 " " " S 74 W 40 " "
 Bottom land & thick Cane, timber Oak, Ash, Walnut

South On E. boundary of Sec. 25

40.00 Set q. sec. post, from which
 an Elm 12 in. diam. bear S 60 E 10 lth. dist. of
 a Hoopwood 8 " " " N 11 W 37 " "
 52.50 Set post on the Bank of the Ohio River from which
 an Elm 13 in. diam. bear N 18 E 11 lth. dist. of
 a Do 12 " " " N 66 W 2 " "
 Bottom land, Walnut, Elm, H. Locust & Cane

Subdivision

West Between Sec. 13 of 24

29.00 a Branch 15 lth. wide Cr. S 50 W
 30.00 an Elm 10 in. diam. stand for Cor. on the bank
 of the Ohio river, from which
 an Elm 9 in. diam. bear S 49 W 14 lth. dist. of
 a Do. 15 " " " S 61 E 28 " "

West Between Sec. 24 of 25

7.50 Set post on the Bank of Ohio river from which

2^d S. R. 7 W. 2nd Mer. IndianaCh. 1st 1/2 mi.

an Elm 1 1/2 mi. diam. bran N 28 E 6 lks. dist. of
 a Do. 8 " " " S 24 W 12 " "
 Cane Brake Bottom.

West Between Sec. 12 & 13

40.00 Set of Sec. post in pond

45.00 leave the Pond on the N & W.

75.75 Set post on the bank of the Ohio river from which
 a P. Oak 1 1/2 mi. diam. bran N 11 E 19 lks. dist. of
 a W. Oak 20 " " " N 66 E 37 " "
 Bottom land, timber Oak, Beech & Sugar

North Boundary

West On S. boundary of Sec. 36, T. 7 S. R. 7 W

8.00 a Branch 10 lks. wide Course S 30 W

13.00 a Do. 12 " " " S 40 W

40.00 Set of Sec. post, from which

a Poplar 3 1/2 mi. diam. bran N 58 E 34 lks. dist. of
 a Beech 7 " " " S 10 W 28 " "

80.00 Set post Cor. to Sec. 35 & 36, from which

a P. Oak 4 1/2 mi. diam. bran S 77 E 25 lks. dist. of
 a Sassafras 12 " " " N 36 W 41 " "

Sand level, timber Beech, Oak, Poplar, Ash etc.
 November 6th 1805

West On S. boundary of Sec. 35, T. 7 S. R. 7 W

40.00 Set of Sec. post, from which

a P. Oak 3 1/2 mi. diam. bran S 19 W 9 lks. dist. of
 an Ash 12 " " " N 60 W 29 " "

(For residue of the line see next page)

T. N. E. of Co. No 7. W. 2nd Mer.

80. 00 Set a mile Post. from which a Sugar 16. in. diam. bears N 15.
W. 11 the dist. & a Beech 12. in. diam. bears N 47 1/2 W. 17. the dist.
Land tree. Timber. Oak. Beech. Ash. & Poplar.

- West On the Town line on the N. side of Sec. 3. T. N. E. of Co. 7. W.
25. 38 To a Branch 3. the wide. bears N. 50 W.
110. 00 Set a 1/2 Sec. Post. from which a Beech 10. in. diam. bears N 37.
E. 33. the dist. & a Lign 33. in. diam. bears N. 66. W. 26. the dist.
45. 00 To a Branch 50. the wide. bears N. 20. W.
57. 00 To a Ditto 5. the wide. N. 50. W.
50. 00 Set a mile Post. from which a Beech 20. in. diam. bears N. 56. E.
45. the dist. & a Beech 33. in. diam. bears N. 47. W. 48. the dist.
Low Ridges. Timber. Beech. Poplar. & Ash. & some Walnut.

- West On the Town line N. side of Sec. 11. T. N. E. of Co. 7. W.
40. 00 Set a 1/2 Sec. Post. from which an Ash 12. in. diam. bears N.
32. W. 26. the dist. & an Elm 10. in. diam. bears N 47. E. 13. the dist.
80. 00 Set a mile Post. from which a Beech 12 in. diam. bears N. 2.
E. 25. the dist. & a Beech 10 in. diam. bears N. 67. E. 18. the dist.
Low Ridges. Timber. Beech. Poplar. Sugar. & Ash.

- West On the Town line on the N. side Sec. 5. T. N. E. of Co. 7. W.
40 00 Set a 1/2 Sec. Post. from which an Ash 10 in. diam. bears
N. 69. W. 19. the dist. & a Walnut 12. in. diam. bears N. 7. E. 20. the
80. 00 Set a mile Post. from which a Poplar 30. in. diam. bears N. 68.
E. 42. the dist. & a Beech 18. in. diam. bears N 66. W. 38. the dist.
Low Ridges. Timber. Beech. Poplar. Walnut. Sugar. & Ash
rich Soil.

- West On the Town line. N. side of Sec. 6. T. N. E. of Co. 7. W.
5. 30 To a Swamp 950. the wide. runs N. 40. W.
15. 00 To the N. side of a Swamp.
40. 00 Set a 1/2 Sec. Post. from which a Hopwood 20 in. diam.
bears N. 73. E. 30. the dist. & a H. Locust. 24. in. diam. bears
N. 34. E. 19. the dist.
19. 38 To the Bank of the Ohio River. from which a Hopwood 30.

T. S. S. Co. No 7. W. 2nd Mer.

int. diam. bears N 88.42. E. 42. lbs dist. 40 B Walnut 20 in
diam. bears N 40. W 30. lbs dist. All Bottom, & from the
Swamp came Drake. & some B. Walnut.

Subdivision.

South Between Secs 1 & 2. T. 8. S. Co. No 7. W.

10. 25 To a B. Oak 36. in. diam. stands in the line.
40. 00 Set a G. Sec Post. from which a Buck 18 in. diam. bears
N. 1. E. 48 lbs dist. 40 a Buck 10 in. diam. bears N. 73 1/2. W. 60. lbs dist.
80. 00 Set a Mile Post. from which a Buck 16 in. diam. bears N 66 1/2
E. 69. lbs dist. 40 W Oak 21 in. diam. bears N. 51. W. 58. lbs.
Just Land. Part Bottom Timber. Oak. Poplar. & Birch
Nov 7th 1805.

East Between Secs 1 & 12. T. 8. S. Co. No 7. W.

10. 15 Set a G. Sec Post. from which an Elm 12 in. diam. bears
N. 8. E. 35. lbs dist. 40 W Oak 12 in. diam. bears N. 53. W. 28. lbs.
80. 30 Intersected the N. 8 S. line 16 lbs N. of the Post. 75 chains
on the West of this line Bottom. Drives Sec. 6.

South Between Secs 11 & 12 T. 8. S. Co. No 7. W.

34. 50 To a Pond. 19. chains wide. Course E. 8. W.
40. 00 Set a Post Corner to G. Sec. in the Pond.
71. 40 To the Bank of the Ohio River. from which a Sugar 12 in.
diam. bears N 30. 1/2 W. 51. lbs dist. 40 a Buck 29 in. diam.
bears N 29. 1/2. E. 59. lbs dist. Bottom Land; fallen timber
to the Pond. Timber; Buck. Poplar. & Sugar.

South Between Secs 2 & 3. T. 8. S. Co. No 7. W.

3. 00 To a Branch 8. lbs wide. Course W.
26. 38 To a Hickory 15 in. diam. stands in the line.
40. 00 Set a G. Sec Post. from which a Buck 10 in. diam. bears
N. 26. E. 15 lbs dist. 40 a 16 in. bears N. 76. W. 36. lbs dist.
40. 50 To the River Bottom.
80. 00 Set a Mile Post. from which an Ash 12 in. diam. bears
N. 78. E. 24. lbs dist. 40 an Ash 40 in. diam. bears N. 66. W. 35.
lbs dist. Bottom & M. Land. Timber. Oak. Birch. Poplar. & Walnut.

T. N. 8. S. R. N. 7. W. 2nd Mer.

- East Between Sec? 2. & 11. T. N. 8. S. R. N. 7. W.
 2. 50 To a Branch 8. lks. wide. Course S 60. W.
 7. 50 To a Ditto. 8. " " " N 30. W.
 40. 20 Get a G^d. Sec. Post: from which a Gum 10 in? diam? bears
 N. 33. E. 3. lks. dist? & an Elm 12 in? diam. bears S 68. W. 1 lks. dist?
 80. 40 Intersecting the N. & S. line. 20. lks. S. of the Post. & Bottom
 Land. Timber. Buck. Oak. Poplar. &c.

Ch,

- South Between Sec? 10. & 11. T. N. 8. S. R. N. 7. W.
 2. 50 To a Branch 8. lks. wide: Course W.
 6. 14 To the Bank of the Ohio River, from which a B. Walnut
 20 in? diam? bears S 69. E. 12 lks. dist? & a Buck 18 in? diam?
 bears S 89. W. 25. lks. dist? November 8th 1805.

- South Between Sec? 3. & 4. T. 8. S. Range. N. 7. W. 2nd Mer.
 33. 50 To a Branch 10. lks. wide; Course. N. 50. W.
 40. 00 To a G^d. Sec. Post: from which a Buck 18 in? diam? bears
 N. 13. W. 6. lks. dist? & an Ash 10 in? bears S 32. E. 23 lks. dist?
 55. 58 To a Buck 25 in? diam? stands in the line.
 80. 00 Get a mile Post. from which a W. Oak 32 in? diam? bears N.
 47. 47. E. 39. lks. dist? & a W. Oak 32 in? diam? bears S 88. W.
 32. lks. dist? The first half mile is low Ridge & then
 River Bottom; Timber. Buck. Poplar. Oak. & Ash.

- South Between Sec? 5. & 6. T. 8. S. R. N. 7. W.
 4. 50 To a Swamp 900. lks. wide: Course. N. 40. W.
 13. 00 To an Ash 14 in? diam? standing in the line.
 16. 80 To a Ash 12. " " " " " "
 34. 25 To the Bank of the Ohio: from which a Cotton wood, 28 in?
 diam? bears S 29. E. 60 lks. dist? & a Yucca more 18 in? diam?
 bears S 74. W. 23. lks. dist? Timber. Buck, Walnut, & Sugar.

- South Between Sec? 4. & 5. T. 8. S. R. N. 7. W.
 40. 00 Get a G^d. Sec. Post: from which a Buck 14 in? diam? bears
 N. 10. E. 28. lks. dist? & a Sp. 20 in? diam? bears S 94. E. 39. lks. dist?
 46. 54 To a Poplar 33 in? diam? stands in the line.

T. N. E. G. Co. N. 7. W. 2.nd Mer.

52. 00 To a Swamp p. 10. chain? wide.
 68. 75 To the Bank of the Ohio River, from which a No. Oak 19. in?
 diam? bears N. 45. 42. W. 65. lbs. dist? & a Gycamore 16. in. in
 diam? bears S. 5. 6. 4. lbs. dist? Upland to the Swamp.
 then Bottom. Timber. Beech. Walnut. Ash & Oak.

- West Between Sec. 4. & 9. T. 8. S. R. 7. W.
 26. 97 To a W. Oak 6. in? diam? standing on the River Bank
 from which a Beech 20. in? diam? bears N. 74. E. 98. lbs. dist?
 & a Gycamore 18. in? diam? bears S. 1. W. 83. lbs. dist?
 Good Bottom Land. Timber. Oak. & Beech.

- North Between Sec. 9. & 10. T. 8. S. R. 7. W.
 3. 33 To the Bank of the Ohio River, from which a Gycamore
 36. in? diam? bears S. 53. E. 15. lbs. dist? & a W. Oak 30. in? in
 diam? bears S. 42. W. 45. lbs. dist? Nov. 9th. 1805.

- East Between Sec. 3. & 10. T. 8. S. R. 7. W.
 30. 00 To a Branch 20. lbs. wide; Course South.
 38. 00 To the Same " " " " North.
 40. 00 To a G. Sec. Post: from which an Elm 24. in? diam?
 bears N. 32. W. 47. lbs. dist? & an Ash 22. in? diam?
 bears S. 12. E. 22. lbs. dist?
 43. 00 To a Branch 20 lbs. wide; Course South;
 47. 00 To the Same. " " " " North
 49. 50 " " Same " " " " South
 53. 50 To a Branch 20. lbs. wide; Course South.
 65. 00 " " Same. " " " " N. 30. W.
 67. 50 " " Same " " " " S. 50. W.
 70. 25 " " Same " " " " North.
 71. 50 " " Same " " " " S. 40. W.
 72. 50 " " Same " " " " North.
 80. 00 Intersected the N. & E. line 25. lbs. N. of the Post.
 Bottom Land. Timber, Beech, Ash & Hornwood.
 November 9th 1805.

Meanders of the Ohio River in Towns 7 & 8. S. R. 7 & 8. W 2nd Mer

Course	Dist	
From the corner to Sec. 25. T. 8. South on East Range line.		
N. 29. 12 W	12.38	
N. 17. W	6.75	
N. 4. W	6.34	
N. 2. W	7.56	
N. 2 1/2 E	21.25	To corner of Sec. 24. & 25. T. 8. S. R. 7 W.
North	14.07	
N. 6 1/2 W	13.38	
N. 17 W	11.75	
N. 22 1/2 W	10.17	
N. 26 1/2 W	16.30	
N. 24. W	19.48	To corner of Sec. 13. & 24.
N. 30. W	61.65	At 25. chains a Branch 10. lks. wide & at 54 chains a Branch 9. lks. wide.
N. 29. W	30.37	To the line between Sec. 12. & 13.
N. 29. W	13.67	
N. 33. W	23.57	
N. 44. W	32.47	
N. 55. W	15.47	
N. 67. W	13.95	
N. 77. W	11.40	To a Post Between Sec. 10. & 11.
N. 89. W	8.22	
S. 77. W	9.45	
S. 84. W	22.81	To a Branch 30. lks. wide: at G. 50.
N. 82. W	18.74	
N. 75. W	16.15	
N. 81. W	6.50	To a Post Between Sec. 9. & 10.
N. 80. W	6.18	
N. 85 1/2 W	21.35	To a post between Sec. 4. & 9.
N. 78. W	12.94	
N. 82. W	18.28	
N. 73. W	16.66	
N. 70. W	7.41	To a Post Between Sec. 4. & 5.
N. 75 1/2 W	23.65	
N. 67. W	11.36	

T. N. 8. G. R. N. 7. W. 2nd Mer.

Course Dist.

Meanders of the Ohio. Continued.

174^{1/2} ft. 11. 64

166. 11 18. 10

156. 4 1/2 20. 25

To a Post Between Sec. 5. & 6.

156. 4 1/2 13. 75

133. 11 9. 50

132. 11 16. 13

159. 11 ~~19. 12~~A line between Towns 7. & 8. and Sec. 6. & 31.
at the end of 14. chains & 12. lbs.~~156. 4 1/2 11. 96~~~~155. 4 1/2 26. 62~~

(Entered in proper Township.)

~~160. 11 12. 62~~To a Post on the River Bank. On Smith's E. Range
line. November 10th 1805.

Surveyed by Jacob Fowler.

I certify that the foregoing transcript of the field
notes of Township N. 8. & South of Range N. 7
West of the 2nd Mer. Indiana, has been compar-
ed with the Original notes, in this Office and
found to be correct.

Surveyor General's Office,
Detroit April 10. 1846.

Sur. Genl.